Wetland Delineation

Richard L. Darden, Ph.D.

U.S. Army Corps of Engineers

Charleston District

April 17, 2014















Why Delineate Wetlands?

- To define the limits of federal jurisdiction, in accordance with current law, regulations, and policy:
 - is a wetland present?
 - if so, where is the boundary?
- To determine the affected environment as a basis for impact assessment, alternatives analysis, and compensatory mitigation

Wetland Definition*

Areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions.

Basis for the three-parameter approach to wetland identification

*Corps / EPA definition - for Clean Water Act, Section 404 purposes [33CFR 328.3(b)]



Definitions and Clarifications

What Are Indicators... ...and Why Do We Use Them?

Indicators are direct or indirect evidence that a parameter is met (present) based on the presence of a set of defined criteria...

For example, since (reliable, long-term) hydrologic data are often unavailable for project sites, most wetland hydrology decisions are based on indicators.



1987 Wetlands Delineation Manual



Wetlands Research Program Technical Report Y-87-1 (on-line edition)

Corps of Engineers
Wetlands Delineation Manual

by Environmental Laboratory








- The Corps Manual provides guidance and procedures from a national perspective
- Where differences
 occur, the Regional
 Supplement takes
 precedence over the
 Corps Manual

http://el.erdc.usace.army.mil/elpubs/pdf/wlman87.pdf



Regionalization of the 1987 Manual



http://www.usace.army.mil/cecw/pages/reg_supp.aspx



SAD - 2 Regional Supplements

ERDC/EL TR-10-20

Environmental Laboratory

Wetlands Regulatory Assistance Program

Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Atlantic and Gulf Coastal Plain Region

(Version 2.0)

U.S. Army Corps of Engineers

November 2010

US Army Corps

of Engineers_® Engineer Research and Development Center



Approved for public release; distribution is unlimited

Draft for Peer Review and Field Testing 6-25-2009

Wetlands Regulatory Assistance Program


DRAFT Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual:

Eastern Mountains and Piedmont
Region


U.S. Army Corps of Engineers







Hang the Flags / Complete the forms



Parts of a typical delineation report

- Narrative
- Wetland map
- Wetland Determination Data Forms
- Additional supporting documentation including basis for jurisdictional determination (USGS Quad, Soil map, LiDAR map, rainfall data, photos, etc.)



Hydrophytic Vegetation Indicators





Hydrophytic Vegetation

The Corps Manual defines hydrophytic vegetation as the community of macrophytes that occurs in areas where inundation or soil saturation is either permanent or of sufficient frequency and duration to influence plant occurrence.

Hydrophytic vegetation is present when the plant community is dominated by species that require or can tolerate prolonged inundation or soil saturation during the growing season



National Wetland Plant List (NWPL)

To determine whether a plant is considered hydrophytic, consult the National Wetland Plant List (NWPL)

- ► The NWPL is a list of plants with assigned wetland indicator statuses which is used as part of the wetland delineation process, in the restoration of wetlands, and as a resource of botanical information about wetland plants.
- ► The NWPL can be found at:

 http://rsgisias.crrel.usace.army.mil/NWPL/
- ► The NWPL is divided into 10 regions



Proposed NWPL Regions



Wetland Indicator Status

- OBL (Obligate): almost always is a hydrophyte, rarely in uplands (occur in wetlands > 99% of the time)
- FACW (Facultative Wetland): usually a hydrophyte, but occasionally found in uplands (occur in wetlands 67%-99% of the time
- FAC (Facultative): commonly occurs as either a hydrophyte or a non-hydrophyte (occur in wetlands 33%-66% of the time)
- **FACU** (Facultative Upland): occasionally is a hydrophyte, but usually occurs in uplands (occur in wetlands 1%-33% of the time)
- UPL (Upland): rarely a hydrophyte, almost always in uplands (occur in wetlands <1% of the time)</p>



Sampling Methods

- Vegetation sampling done as part of a routine wetland delineation is designed to characterize the site <u>quickly</u> without need for detailed scientific study or statistical methods
- For wetland delineation purposes, an area is considered to be vegetated if it has <u>5% or more total plant cover</u> during the peak of growing season
- Sample plots to determine if hydrophytic vegetation is present should be located in areas that are representative of that community



Sampling Methods

- Sampling for a single or multi-layered community can be accomplished using a 30-ft (9.1m) radius plot for all strata
- Plot sizes and shapes should be adjusted so as not to overlap into an adjacent community having different vegetation, soil, or hydrologic conditions



VEGETATION - Use scientific names of plants.		Sampling Point:			
	Absolute Dominant Indicator	Dominance Test worksheet:			
<u>Tree Stratum</u> (Plot size:) 1	% Cover Species? Status	Number of Dominant Species That Are OBL, FACW, or FAC: (A)			
2 3		Total Number of Dominant Species Across All Strata: (B)			
4 5		Percent of Dominant Species That Are OBL, FACW, or FAC: (A/B)			
6		Prevalence Index worksheet:			
	= Total Cover	Total % Cover of: Multiply by:			
	20% of total cover:	OBL species x 1 =			
Sapling Stratum (Plot size:)		FACW species x 2 =			
1		FAC species x 3 =			
2		FACU species x 4 =			
3		UPL species x 5 =			
4		Column Totals: (A) (B)			
6		Prevalence Index = B/A =			
	= Total Cover	Hydrophytic Vegetation Indicators:			
50% of total cover:	20% of total cover:	1 - Rapid Test for Hydrophytic Vegetation			
Shrub Stratum (Plot size:)		2 - Dominance Test is >50%			
1		3 - Prevalence Index is ≤3.01			
2		Problematic Hydrophytic Vegetation ¹ (Explain)			
3					
4		¹ Indicators of hydric soil and wetland hydrology must			
5		be present, unless disturbed or problematic.			
6		Definitions of Vegetation Strata:			
	= Total Cover	Tree – Woody plants, excluding woody vines.			
50% of total cover:		approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).			
1. 2.		Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH. Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height. Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately			
3					
6					
8		3 ft (1 m) in height.			
9		Woody vine - All woody vines, regardless of height.			
10		,,,,			
11					
	= Total Cover				
50% of total cover:	20% of total cover:				
Woody Vine Stratum (Plot size:)					
1					
2					
3					
4					
5		Hydrophytic			
	= Total Cover	Vegetation Present? Yes No			
50% of total cover:	20% of total cover:	Present? Yes No			
Remarks: (If observed, list morphological adaptations belo	w).				



 $\textbf{BUILDING STRONG}_{\text{\tiny \tiny B}}$

How do you know if the hydrophytic vegetation parameter is met?

Hydrophytic vegetation is present when the plant community is dominated by species that require or can tolerate prolonged inundation or soil saturation during the growing season



Morphological Adaptations

Morphological Adaptations are the structural adaptations that enhance the survival of an organism.

Many plant species have morphological adaptations for occurrence in wetlands. These structural modifications most often provide the plant with increased buoyancy or support.

Not all species occurring in areas having anaerobic soil conditions exhibit morphological adaptations for such conditions.





Buttressed Trunks

Tree species may develop enlarged trunks in response to frequent inundation. This adaptation is a strong indicator of hydrophytic vegetation in non-tropical forested areas.





Pneumatophores

These modified roots may serve as respiratory organs in species subjected to frequent inundation or soil saturation. Cypress knees are a classic example, but other species may also develop pneumatophores





Adventitious Roots

Sometimes referred to as "water roots," they occur on plant stems in positions where roots normally are not found. These usually develop during periods of sufficiently prolonged soil saturation to destroy most of the root system.





Shallow Root Systems

When soils are inundated or saturated for long periods of time during the growing season, anaerobic conditions develop in the zone of root growth. Most species with deep root systems cannot survive in such conditions. Most species capable of growth during periods when soils are oxygenated only near the surface have shallow root systems.





Hypertrophied Lenticels

Some plant species produce enlarged lenticels (pores for gas exchange) in response to prolonged inundation or soil saturation and are thought to increase oxygen uptake.



Hydric Soils Indicators

Bottom Line: We Look For low chroma colors and redoximorphic features





Definition of a Hydric Soil

...a soil that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop <u>anaerobic conditions</u> in the upper part.








Development of Hydric Soils

Prolonged inundation or saturation

Leads to

Combined with soil microbial activity, causes <u>depletion</u> of oxygen



Accumulation of organic matter & certain biogeochemical processes



Geochemical processes: reduction, translocation, oxidation, or accumulation of reducible elements in soil



Hydric Soils Indicators

The **field** indicators are morphological properties known to be associated with soils that meet the definition of a hydric soil.

Presence of one or more field indicators suggests that the processes associated with hydric soil formation have taken place on the site being observed.

The field indicators are essential for hydric soil identification because once formed, they persist in the soil during both wet and dry seasonal periods.



Hydric Soils Indicators



NOTE: Any change to the Field Indicators of Hydric Soils in the United States represents a change to the Regional Supplement's subset of indicators.

- Bottom line: <u>Use the most</u> recent guidebook

http://soils.usda.gov/




Soil Textures and Colors are Key

Soil colors have 3 "dimensions":

Hue – indicates a color's relation to red, yellow, green, blue and purple

Value – indicates the "<u>lightness</u>" of a color

Chroma – indicates the "strength" of a color



Soil Textures and Colors are Key

Soil colors have 3 "dimensions":

This color chip is described as:

10YR 3/1

Hue ALUE -Value


MUNSELL® SOIL COLOR CHART

Chroma

10YR

Soil Profiles are Layered





What Hydric Soils Indicators Are Present Here?

Layer 1

Indicator F3: Depleted Matrix

A layer with a depleted matrix that has 60 percent or more chroma of 2 or less and that has a minimum thickness of either:

- 1) 2 in. if the 2 in. is entirely within the upper 6 in. of the soil, or
- 2) 6 in. starting within 10 in. of the soil surface

Layer 2



OIL									Sampling Point:	
Profile Des	cription: (Describe	to the dep	th needed to docu	ment the i	indicator	or confirm	n the abs	sence (of indicators.)	
Depth	Matrix		Redo	x Feature						
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Text	ure	Remarks	
0-2	10YR 5/3	100					Loa	am	Layer 1	
2-20	10YR 6/1		5YR 4/6	30		_M_	Cla	y _	Layer 2	
Hydric Soil Histoso Histic E Black H Hydrog Stratifie Organic 5 cm M Muck P 1 cm M Deplete Thick D	epipedon (A2) listic (A3) en Sulfide (A4) ed Layers (A5) e Bodies (A6) (LRR P, lucky Mineral (A7) (LR lresence (A8) (LRR U) luck (A9) (LRR P, T) ed Below Dark Surface lark Surface (A12)	, T, U) RR P, T, U)	LRRs, unless othe Polyvalue Be Thin Dark St Loamy Muck Loamy Gleye Depleted Ma Redox Dark Depleted Da Redox Depre Marl (F10) (I Depleted Oc	rwise not elow Surfa urface (S9 y Mineral ed Matrix (trix (F3) Surface (F rk Surface essions (F LRR U) hric (F11) ese Mass	ed.) ice (S8) (L) (LRR \$, (F1) (LRR (F2) -6) e (F7) 8) (MLRA 15) es (F12) (RR s , T, (T, U) O) AYE 51) LRR O, P,	Indicution (Indicution (Indicu		ation: PL=Pore Lining, M=Ma	atrix.
Sandy I Sandy I Sandy I Strippe Dark St	Prairie Redox (A16) (No Mucky Mineral (S1) (L Gleyed Matrix (S4) Redox (S5) d Matrix (S6) urface (S7) (LRR P, S Layer (if observed):	.RR O, S)	A) Umbric Surfa Delta Ochric Reduced Ve Piedmont Flo Anomalous B	(F17) (MI rtic (F18) codplain S	LRA 151) (MLRA 15 Goils (F19) my Soils (I	0A, 150B) (MLRA 14	49A) RA 149A,	1		
Depth (ir Remarks:	Meets indic						Hydri	С		


Wetland Hydrology Indicators






Wetland Hydrology

Wetlands gain and lose water constantly through a variety of pathways



Wetlands in Landscapes

Closed depression with fluctuating water table





Criteria for Wetland Hydrology

Area is inundated or saturated to the surface for at least 5% of the growing season in most years

From: 1987 Corps Manual, Table 5 and paragraphs 49.b(2) and 55. STEP 8i



Criteria for Wetland Hydrology

1987 Manual:

Table 5	
Hydrologic Zones ¹	- Nontidal Areas

,				
Zone	Name	Duration ²	Comments	
l ³	Permanently inundated	100 percent	Inundation >6.6 ft mean water depth	
II	Semipermanently to nearly permanently inundated or saturated	>75 - <100 percent	Inundation defined as ≤6.6 ft mean water depth	
	Regularly inundated or saturated	>25 - 75 percent		
N°	Seasonally inundated or saturated	>12.5 - 25 percent		
V	Irregularly inundated or saturated	≥ 5 - 12.5 percent	Many areas having these hydrologic characteristics are not wetlands	
VI	Intermittently or never inundated or saturated	<5 percent	Areas with these hydro- logic characteristics are not wetlands	

¹ Zones adapted from Clark and Benforado (1981).



² Refers to duration of inundation and/or soil saturation during the growing season.

This defines an aquatic habitat zone.

Criteria for Wetland Hydrology

Area is inundated or saturated to the surface for at least 5% of the growing season in most years

For Charleston: $300 \text{ days } \times 5\% = 15 \text{ days}$



HYDROLOGY		
Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		Surface Soil Cracks (B6)
Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soil Thin Muck Surface (C7)	Shallow Aquitard (D3)
Inundation Visible on Aerial Imagery (B7) Field Observations:	Other (Explain in Remarks)	FAC-Neutral Test (D5)
Surface Water Present? Yes No Water Table Present? Yes No	Depth (inches): Depth (inches): Depth (inches):	Wetland Hydrology Present? Yes No
Describe Recorded Data (stream gauge, monitoring Remarks:	well, aerial photos, previous inspection	ons), if available:



Wetland Hydrology Indicators

Presence of hydric soils and hydrophytic vegetation reflect a site's medium to long-term wetness history.

Wetland hydrology indicators provide evidence that a site has a continuing wetland hydrologic regime and that hydric soils and hydrophytic vegetation are not relicts of a past hydrologic regime.



Hydrology Indicator Groups:

Atlantic and Gulf Coastal Plain

Table 10. Wetland hydrology indicators for the Atlantic and Gulf Coastal Plain Region.

	Category		
Indicator	Primary	Secondary	
Group A - Observation of Surface \	Nater or Saturated Soi	ls	
A1 - Surface water	Х	ľ	
A2 - High water table	Х		
A3 - Saturation	Х		
Group B - Evidence of Rec	ent Inundation	•	
B1 - Water marks	X		
B2 - Sediment deposits	Х		
B3 - Drift deposits	Х		
B4 - Algal mat or crust	Х		
B5 - Iron deposits	Х		
B7 - Inundation visible on aerial imagery	Х		
B9 - Water-stained leaves	Х		
B13 - Aquatic fauna	Х		
B15 - Marl deposits	X (LRR U)		
B6 - Surface soil cracks		Х	
B8 - Sparsely vegetated concave surface		Х	
B10 - Drainage patterns		Х	
B16 - Moss trim lines		Х	
Group C - Evidence of Current or	Recent Soil Saturation	1	
C1 - Hydrogen sulfide odor	Х		
C3 - Oxidized rhizospheres along living roots	Х		
C4 - Presence of reduced iron	Х		
C6 - Recent iron reduction in tilled soils	Х		
C7 - Thin muck surface	Х		
C2 - Dry-season water table		Х	
C8 - Crayfish burrows		Х	
C9 - Saturation visible on aerial imagery		Х	
Group D - Evidence from Other S	ite Conditions or Data		
D2 - Geomorphic position		X	
D3 - Shallow aquitard		Х	
D5 - FAC-neutral test		X	
D8 - Sphagnum moss		X (LRR T, U)	

Indicator A1: Surface water

Direct observation of inundation





Indicator A2: High water table

Direct observation of water table within 12 in. of the surface in a soil pit, auger hole, or monitoring well.



Indicator A3: Saturation

Observation of soil saturation within 12 in.







Indicator B1: Water marks






Indicator B2: Sediment deposits







Indicator B7: Inundation visible on aerial imagery



Indicator B9: Water-stained leaves






Indicator C3: Oxidized rhizospheres along living roots







Secondary Indicators

Indicator B10: Drainage patterns in wetlands





Questions?

